

Congenital Syphilis in Infants < 1 Year of Age, Cases and Rates, California Counties & Selected City Health Jurisdictions, 1998–2002 Provisional Data

COUNTY	1998		1999		2000		2001		2002	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
CALIFORNIA	116	22.3	92	17.8	82	15.4	62	11.8	49	9.3
Alameda	4	19.1	5	24.3	3	13.5	4	18.2	-	-
— Berkeley ¹	-	-	-	-	-	-	-	-	-	-
Alpine	-	-	-	-	-	-	-	-	-	-
Amador	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-
Calaveras	-	-	-	-	-	-	-	-	-	-
Colusa	-	-	-	-	-	-	-	-	-	-
Contra Costa	-	-	1	7.9	3	22.7	1	7.6	1	7.6
Del Norte	-	-	-	-	-	-	-	-	-	-
El Dorado	-	-	-	-	-	-	-	-	-	-
Fresno	8	55.7	6	42.8	4	28.0	2	14.0	-	-
Glenn	-	-	-	-	-	-	-	-	-	-
Humboldt	-	-	-	-	-	-	-	-	-	-
Imperial	-	-	1	40.6	1	38.9	1	38.5	-	-
Inyo	-	-	-	-	-	-	-	-	-	-
Kern	3	26.0	1	8.8	3	25.7	4	34.1	1	8.4
Kings	-	-	-	-	-	-	-	-	-	-
Lake	-	-	-	-	-	-	-	-	-	-
Lassen	-	-	-	-	-	-	-	-	-	-
Los Angeles	65	41.0	44	28.2	42	26.7	30	19.5	28	18.3
— Long Beach ¹	5	58.8	7	82.4	2	23.8	2	24.4	1	12.2
— Pasadena ¹	-	-	1	41.9	-	-	-	-	-	-
Madera	2	96.5	-	-	-	-	-	-	-	-
Marin	-	-	-	-	-	-	2	69.8	-	-
Mariposa	-	-	-	-	-	-	-	-	-	-
Mendocino	-	-	-	-	-	-	-	-	-	-
Merced	-	-	-	-	-	-	-	-	-	-
Modoc	-	-	-	-	-	-	-	-	-	-
Mono	-	-	-	-	-	-	-	-	-	-
Monterey	1	14.7	1	14.9	-	-	-	-	-	-
Napa	-	-	-	-	-	-	1	63.9	-	-
Nevada	-	-	-	-	-	-	-	-	-	-
Orange	8	17.3	6	12.9	6	12.8	2	4.4	5	11.0
Placer	-	-	-	-	-	-	-	-	-	-
Plumas	-	-	-	-	-	-	-	-	-	-
Riverside	-	-	2	8.5	3	12.1	2	7.9	1	3.8
Sacramento	2	11.3	2	11.3	2	11.0	-	-	-	-
San Benito	1	112.2	-	-	-	-	-	-	-	-
San Bernardino	3	10.6	1	3.5	2	7.0	-	-	-	-
San Diego	12	27.6	14	32.4	3	6.8	7	16.0	3	6.8
San Francisco	1	12.3	1	12.3	1	11.6	1	12.1	-	-
San Joaquin	3	34.7	4	45.2	5	52.1	1	10.2	4	40.2
San Luis Obispo	-	-	-	-	-	-	-	-	-	-
San Mateo	-	-	-	-	-	-	-	-	-	-
Santa Barbara	-	-	-	-	-	-	1	17.8	1	17.7
Santa Clara	-	-	2	7.6	1	3.6	2	7.4	3	11.1
Santa Cruz	-	-	-	-	-	-	-	-	-	-
Shasta	-	-	-	-	-	-	-	-	-	-
Sierra	-	-	-	-	-	-	-	-	-	-
Siskiyou	-	-	-	-	-	-	-	-	-	-
Solano	-	-	-	-	-	-	-	-	-	-
Sonoma	1	18.3	1	18.5	-	-	-	-	-	-
Stanislaus	1	14.4	-	-	2	27.6	-	-	1	13.0
Sutter	-	-	-	-	-	-	-	-	-	-
Tehama	-	-	-	-	-	-	-	-	-	-
Trinity	-	-	-	-	-	-	-	-	-	-
Tulare	1	14.5	-	-	1	13.8	1	13.7	-	-
Tuolumne	-	-	-	-	-	-	-	-	-	-
Ventura	-	-	-	-	-	-	-	-	1	8.8
Yolo	-	-	-	-	-	-	-	-	-	-
Yuba	-	-	-	-	-	-	-	-	-	-

¹ City Health Department numbers are included in their respective county totals.

Note: Rates are per 100,000 live births.

Source: California Department of Health Services, STD Control Branch

State of California, Department of Finance, Demographic Research Unit, *Historical and Projected Births by County, 1970-2011, with Births by Age of Mother and Fertility Rates*. Sacramento, CA, August 2002

Revised 07/30/2003

Congenital Syphilis in Infants < 1 Year of Age, Cases and Rates by Race/Ethnicity of Mother, California, 1998–2002 Provisional Data

RACE/ ETHNICITY	1998		1999		2000		2001		2002	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
CALIFORNIA	116	22.3	92	17.8	82	15.4	62	11.8	49	9.3
American Indian/Alaskan Native	0	0.0	1	40.0	0	0.0	0	0.0	1	50.2
Asian/Pacific Islander	4	7.2	3	5.3	5	8.0	1	1.7	1	1.7
Black	39	110.8	24	70.3	13	38.5	10	32.3	8	25.8
Hispanic	62	25.0	46	18.5	58	22.5	45	17.2	34	13.0
White	11	6.1	15	8.6	6	3.4	6	3.6	4	2.4
Not Specified	0	-	3	-	0	-	0	-	1	-

Note: Rates are per 100,000 live births.

Source: California Department of Health Services, STD Control Branch

State of California, Department of Health Services, Vital Statistics Section, *Live Births and Birth Rates by Race/Ethnic Group of Mother, California Counties and Selected City Health Departments, California, 2001*
(2002 denominator data was created by multiplying the 2001 race/ethnic percent distribution by the 2002 projected births.)

Congenital Syphilis in Infants < 1 Year of Age, Cases by Classification, California Counties & Selected City Health Jurisdictions, 2002 Provisional Data

COUNTY	Total Cases	Confirmed Cases	Stillbirth Cases	Presumptive Cases	
				Probable ¹	Possible ²
CALIFORNIA	49	0	1	37	11
Alameda	-	-	-	-	-
— Berkeley ³	-	-	-	-	-
Alpine	-	-	-	-	-
Amador	-	-	-	-	-
Butte	-	-	-	-	-
Calaveras	-	-	-	-	-
Colusa	-	-	-	-	-
Contra Costa	1	-	1	-	-
Del Norte	-	-	-	-	-
El Dorado	-	-	-	-	-
Fresno	-	-	-	-	-
Glenn	-	-	-	-	-
Humboldt	-	-	-	-	-
Imperial	-	-	-	-	-
Inyo	-	-	-	-	-
Kern	1	-	-	-	1
Kings	-	-	-	-	-
Lake	-	-	-	-	-
Lassen	-	-	-	-	-
Los Angeles	28	-	-	26	2
— Long Beach ³	1	-	-	-	1
— Pasadena ³	-	-	-	-	-
Madera	-	-	-	-	-
Marin	-	-	-	-	-
Mariposa	-	-	-	-	-
Mendocino	-	-	-	-	-
Merced	-	-	-	-	-
Modoc	-	-	-	-	-
Mono	-	-	-	-	-
Monterey	-	-	-	-	-
Napa	-	-	-	-	-
Nevada	-	-	-	-	-
Orange	5	-	-	2	3
Placer	-	-	-	-	-
Plumas	-	-	-	-	-
Riverside	1	-	-	1	-
Sacramento	-	-	-	-	-
San Benito	-	-	-	-	-
San Bernardino	-	-	-	-	-
San Diego	3	-	-	2	1
San Francisco	-	-	-	-	-
San Joaquin	4	-	-	1	3
San Luis Obispo	-	-	-	-	-
San Mateo	-	-	-	-	-
Santa Barbara	1	-	-	-	1
Santa Clara	3	-	-	3	-
Santa Cruz	-	-	-	-	-
Shasta	-	-	-	-	-
Sierra	-	-	-	-	-
Siskiyou	-	-	-	-	-
Solano	-	-	-	-	-
Sonoma	-	-	-	-	-
Stanislaus	1	-	-	1	-
Sutter	-	-	-	-	-
Tehama	-	-	-	-	-
Trinity	-	-	-	-	-
Tulare	-	-	-	-	-
Tuolumne	-	-	-	-	-
Ventura	1	-	-	1	-
Yolo	-	-	-	-	-
Yuba	-	-	-	-	-

CDC Algorithm for Presumptive Cases

¹ Mother not treated adequately or treatment unknown before or during pregnancy; or mother treated adequately before or during pregnancy, but evidence of treatment failure or reinfection.

² Mother treated adequately before or during pregnancy, but response was equivocal or could not be determined prior to delivery and infant was not evaluated.

³ City Health Department numbers are included in their respective county totals.